Tropical Atlantic Observing System (TAOS)

Review Report

W. Johns, S. Speich et al. (2021)



#### Implementation


✓ Co-Chairs Bill Johns (U. Miami) Sabrina Speich (ENS)

Last review
in 2006 by
CLIVAR and
GCOS/GOOS
WCRP

 Review Committee composed of members of the tropical Atlantic observing community and representatives from GOOS/GCOS, with oversight by the CLIVAR ARP




### Societal relevance of the Tropical Atlantic



Important processes  $\checkmark$ and modes of variability in the tropical Atlantic: Atlantic Meridional Mode, Atlantic Niño, AMOC, ENSO, PDO, NAO, AMV, etc.




### Societal relevance of the Tropical Atlantic



✓ Main impacts of tropical Atlantic variability and change




### Societal relevance of the Tropical Atlantic






### Value of the TAOS



✓ Key elements of the tropical Atlantic in situ observing system




### The present TAOS – Mooring Network



 The PIRATA array in December 2019, indicating the mooring types and enhanced instrumentation that is deployed at specific sites




### The present TAOS – Mooring Network



 Elements of the tropical Atlantic observing system




#### The present TAOS – Drifters



 Density of all GDP observations in drifter days per square degree. Dots indicate deployments  Number of active surface drifters in the tropical Atlantic region (blue), and the percentage of 5° x 5° spatial bins occupied by drifters covere




#### The present TAOS – Argo




- ✓ Snapshot of Argo float locations in the Atlantic from January 2018
- ✓ Color shading indicates the mean distance to the nearest 4 Argo floats; blue shaded areas indicate coverage at or above the nominal 3° x 3° density, red areas indicate below nominal coverage



#### The present TAOS – Vessel based Observations





✓ Global GOSUD transects, 1998-2017

#### ✓ Active transects during 2017




### The present TAOS – Satellite Observations

 Wind, Precipitation, nearsurface temperature, humidity, clouds and aerosols, surface radiative fluxes, surface turbulent fluxes

✓ SST, SSS, SSH, ocean mass/bottom pressure




### **Operational Drivers for the TAOS**






#### **Key Recommendations**



✓ Green symbols show recommended new PIRATA sites to combine with the NTAS/NDBC buoys to establish a new buoy line along ~53°W, and the recommended new PIRATA buoy at 20°S, 10°W



#### **Key Recommendations**



BGC Floats, 1000


✓ The "Argo 2025 Design" sampling vision for the global oceans, indicating regions of higher resolution Argo sampling (green shading) and the approximate distribution of core Argo, BGC-Argo, and deep-Argo floats



Generated by www.jcommops.org, 16/10/2018



### **Key Recommendations**



✓ Key elements of the tropical Atlantic in situ observing system



#### Key Recommendations












#### Key recommendations



 Essential Ocean Variables & Essential Climate Variables listed by TAOS identified phenomena Tropical Atlantic Observing System (TAOS)

Review Report

W. Johns, S. Speich et al. (2021)